





## Assasin

A wheel set designed for racing, cycle cross, or on road sprint. Disc brake design, you can control your speed more efficiently.

### **S5x5A**

700C for disc road

weight: 1635g

rim high: 30mm


Rim material: Al 6066-T6

front spoke: 28-293mm

rear spoke: 28-293mm

front hub: 28-cross 3 build

rear hub: 28-cross 3 build





## Exsite

A wheel set for high speed racing. With strong, high stiffness alloy and cross-section design, it can make you keep in high speed more easily.

### S3x6E

700c for Road bike

weight: 1720g

rim high: 35mm

rim material: Al-6069-T6 welding

front spoke: 20-266mm

rear spoke: 12-278mm/12-281mm

front hub: 20-radius

rear hub: 24-cross 3 build





## J30


We offer an entry-level wheel set for you to try our product's performance. With clear and bright decal design, we believe you must be in love with its performance and design.

### S3x6J

700c for Road bike

weight:1630g

rim high: 30mm  
rim material: AL-6069-T6 welding  
front spoke: 20-274mm  
rear spoke: 16-276mm/8-268mm  
front hub: 20-radius  
rear hub: 24-[2:1] build





## Zerostyle HPC

With the carbon fiber rim, it has more stiffness than Aluminum version Zerostyle, you can enjoy it when sprint, high speed racing.

### **S3x6Z**

700C for road carbon

weight:1480g

rim high: 50mm

rim material: carbon UD

front spoke: 18-256mm

rear spoke: 14-275mm/7-252mm

front hub: 18-radius

rear hub: 21-cross 3 2:1 build





## Zerostyle

High performance, light-weight KOM setting product. You can easily conquer any mountain on road when using it. The power transmission is so directly and almost without lost.

### **S3x6Z**

700c for Road bike

weight: 1350g (25mm)

rim high: 25mm

rim material: Al-6069-T6 welding

front spoke: 18-278mm

rear spoke: 14-298mm/7-275mm

front hub: 18-radius

rear hub: 21-(2:1) build







## Explore

Light-weight MTB wheel set. Unique ID design, and you can feel more slim and graceful when riding.

### **S4x8E**

for MTB bike  
weight: 1430g

rim high: 25mm/650B  
rim material: Al-6061-T6 welding  
front spoke: 24-278mm  
rear spoke: 24-278mm  
front hub: 24-crosss 3 build  
rear hub: 24-crosss 3 build





**I-PLUS DESIGN CO., LTD.**

3F, No.835, Shuangwen Rd., Dali Dist., Taichung City 412, Taiwan

Tel: 886-4-24076035 Fax: 886-4-24071937

E-mail: [rock@i-plusdesign.com.tw](mailto:rock@i-plusdesign.com.tw)

[www.simplus.com.tw](http://www.simplus.com.tw)